



PERSONNELDOORS
Pressed Colour Steel Panel Doors of Distinction

 **AceDoors**
Commercial Door Solution Specialists



PERSONNELDOORS

The **Rudnev™ PERSONNELDOORS** are a pressed colour steel panel door of distinction.

The **PERSONNELDOOR** has been developed as a cost efficient access door for steel frame sheds, barns and domestic garages.

We have used the latest construction technology to provide a product that will enhance any door opening in your building.

With 30 years experience, **Rudnev™** know the building industries needs and desires.

FEATURES:

Universal hanging – either L/H or R/H hanging by simply rotating the complete door around

Attractive flush face door appearance with no ugly perimeter channels or rivet fixings

High density polyurethane foam core giving a high impact resistant colour steel face

A solid 3.0mm wall thickness for secure hinge fixing points

Eliminates all swelling, sticking and painting problems associated with timber doors

Heavy duty stainless steel hinges and quality Guardsman stainless steel locksets are used.
Quality fittings for a quality door

Low maintenance, no painting required

Available in any colour steel colour range

The finished door is completely covered in Polystyrene packaging and shrink wrapped eliminating all freight damage

A PVC protective film is placed on the coloursteel face of the door to avoid any installation damage

Totally enhances and finishes off any opening in your building

Time saving products for installation

SECTIONAL OVERHEAD DOORS



The **THERMASEAL™** Steel Door utilises a 45mm thick expanded polyurethane core and a mechanically-interlocked thermal break to provide maximum thermal efficiency.



Aluminium doors offer advanced design and appearance for heavy usage applications. Anodising provides for years of weatherproofing.

All doors can be fully automated, with track systems to suit normal or low headroom and vertical lift tracks.

DOCK LEVELLERS



The most successful Dock Leveller ever introduced by the industry, with over 100,000 units sold world-wide.

With a safe and simple design, ease of maintenance, few moving parts and an affordable price the **KELLEY FX®** Dockleveller has become the choice of material handling operations everywhere.

KELLEY ELEVATING DOCKS



Elevating Docks offer superior quality design, comprehensive safety features, a competitive price and a solid warranty. **KELLEY** also builds special application products to meet your lifting needs.

P.V.C STRIP CURTAINS



P.V.C. Strip Curtain's are specially designed to reduce scratching, the edges of this crystal strip are rounded for additional safety. The entire product is resistant to damage from ultraviolet rays, while providing outstanding transparency.

DURADOOR



- Competitively priced against timber doors
- Designed to be installed into pre-cast concrete, timber, block work, insulated panel or long run roofing walls
- Eliminates all swelling, sticking and painting problems associated with timber doors
- Maintenance free powder coated aluminium finish, no site painting needed
- Pre-hung in one piece frame with your hardware choice fitted
- Energy saving polyurethane foam core is used to deliver exceptional insulation values
- Full perimeter gasket seals to decrease energy costs and reduce air infiltration
- Can be colour coded to match building appearance
- Can be supplied as single or double leaf doors
- Very hygienic and able to be used in high wash down areas, totally warp and rot free

FIRE RATED ROLLER DOOR



4-hour rating manually or electronically operated available in a range of closing options (Fusible unit, solenoid release etc)

P.V.C. IMPACT DOORS



These double-action swing doors are essential for environments where heavy duty trolleys and pallets are being constantly moved.

Available in one- and two-leaf models, these doors feature adjustable tension springs with smooth operating, self-closing hinges.

Acedoor Systems

60 O'Rorke Road, Penrose, PO Box 12384, Penrose, Auckland. Ph 09 273 4970 Fax 09 273 4972
Email: sales@acedoors.co.nz